

Bench and Shipping Scales

Model S100 - Group C

Not Legal for Trade



Model	Part Number	Description	Ship Weight	List Price
S100	816965001620	150 lb x 0.02 lb (75 kg x 0.01 kg)	53 lb	\$450
S100	816965001637	300 lb x 0.05 lb (150 kg x 0.02 kg)	53 lb	\$450
S100	816965001644	600 lb x 0.1 lb (300 kg x 0.05 kg)	53 lb	\$450

The S100 series bench scales are easy to use, reliable and affordable scales that are ideal for general weighing.

Model S122 - Group C

Legal for Trade, Class III, 3,000d



NTEP CC 05-040



Model	Part Number	Description	Ship Weight	List Price
S122	816965001163	150 lb x 0.05 lb (75 kg x 0.02 kg)	45 lb	\$845
S122	816965001170	300 lb x 0.1 lb (150 kg x 0.05 kg)	45 lb	\$845
S122	816965001187	600 lb x 0.2 lb (300 kg x 0.1 kg)	45 lb	\$845

All of the S122 bench scale bases are stainless steel, 20.5" L x 16.5" W x 5" H. Height with stand and indicator is 37".

Model C3255 - Group B

Legal for Trade, Class III, 3,500d



NTEP CC 04-088



Model	Part Number	Description	Ship Weight	List Price
C3255	816965000746	30 lb x 0.01 lb (15 kg x 0.005 kg)	36 lb	\$695
C3255	816965000753	60 lb x 0.02 lb (30 kg x 0.01 kg)	36 lb	\$695
C3255	816965000760	150 lb x 0.05 lb (75 kg x 0.02 kg)	36 lb	\$695
C3255	816965000777	300 lb X 0.05 lb (150 kg x 0.02 kg)	36 lb	\$795

The C3255 checkweigher is an NTEP 3,000 division scale with over/under indicators using a keyboard set point with variable tolerance limits. This scale has a stainless steel housing and is suitable for food and chemical applications. Power adapter (using a water-protected connection) is included.

Each scale has a built in battery option using 6-C batteries with an estimated 120 hours per battery set. Unit switching includes lb mode, kg and oz modes. 10 preset targets are available from the keyboard. The large display includes 1.2" digits for weight and a fan graph for target relation to the applied weight.

Model 405 - Group C



Model	Part Number	Description	Ship Weight	List Price
405	816965001538	12 lb x 0.002 lb / 6 kg x 0.001 kg	7 lb	\$165
405	816965001330	30 lb x 0.005 lb / 15 kg x 0.002 kg	7 lb	\$165

Model LPS30 - Group C



Model	Part Number	Description	Ship Weight	List Price
LPS30	816965001491	30 lb x 0.01 lb / 15 kg x 0.005 kg	11 lb	\$195

Options:

816965000951	Foot switch for tare function	\$30
--------------	-------------------------------	------


Note: The footswitch for the tare function is only available with the LPS30.

Model LPS150/LPS400 - Group C




Model	Part Number	Description	Ship Weight	List Price
LPS150	816965001224	150 lb x 0.05 lb / 68 kg x 0.02 kg	11 lb	\$195
LPS400	816965001231	400 lb x 0.2 lb / 182 kg x 0.1 kg	11 lb	\$195

Model PS150/PS400 - Group A

Model	Part Number	Description	Ship Weight	List Price
 PS150	816965000500	150 lb x 0.2 lb / 70 kg x 0.1 kg	12 lb	\$195
PS400	816965000517	400 lb x 0.5 lb / 181 kg x 0.2 kg	12 lb	\$195

The PS series bench scales are 12 ¼" x 11 ¾" include a display mounting bracket with a 6 foot display cable. An AC adapter is included. The PS series will also operate on 6 "AA" batteries (not included).

Model GP100/GP250 - Group A

Model	Part Number	Description	Ship Weight	List Price
 GP100	816965001095	100 lb x 0.2 lb / 45 kg x 0.1 kg	8 lb	\$129
GP250	816965001101	250 lb x 0.5 lb / 110 kg x 0.2 kg	8 lb	\$129

The GP series bench scales are equipped with a back light display with dimensions of 11" x 12 ½". An AC adapter is included and the scale will also operate on one 9-Volt battery (not included).

6700 Series POS Scale - Group C

Dimensions (6702):



Weigh platter dimensions: 6" x 10" (152 mm x 254 mm)
 Remote Display Enclosures: 5.8" (W) x 3.0" (H) x 1.4" (D max) (147 mm x 75 mm x 36 mm)
 Adjustable height: 2.5" - 3" (64 mm - 76 mm)

Dimensions (6720):



Weigh Platter: 12" x 14" (305 mm x 356 mm)
 Adjustable height: 4.1" - 4.6" (104 mm - 117 mm)

Dimensions (6710 & 6712):



Weigh platter dimensions: 10" x 10" (254 mm x 254 mm)
 Remote Display Enclosures: 5.8" (W) x 3.0" (H) x 1.4" (D max) (147 mm x 75 mm x 36 mm)
 Adjustable height: 2.5" - 3" (64 mm - 76 mm)

Agency Approvals:

Legal for Trade, NTEP Class III
 USA COC #95-070A6 (6702/6710/6720)
 Canada: MOI approval #AM-5076 Rev 2
 USA COC #00-096 (6712)

Model	Part Number	Description	Ship Weight	List Price
6702	9504-16658	15 lb x 0.005 lb	14 lb	\$615
6702	9504-16422	30 lb x 0.01 lb	14 lb	\$615
6710	9504-16655	15 lb x 0.005 lb	14 lb	\$635
6710	9504-16453	30 lb x 0.01 lb	14 lb	\$635
6710	9504-16663	7 kg x 0.002 kg	14 lb	\$635
6710	9504-16452	15 kg x 0.005 kg	14 lb	\$635
6710	9570-13721	15 lb x 0.005 lb POSITOUCH software	14 lb	\$635
6712	9570-13744	160 oz x 0.1 oz NCI interface only	14 lb	\$635
6720	9504-16647	15 lb x 0.005 lb (Internal display)	22 lb	\$695
6720	9504-16650	15 lb x 0.005 lb (Remote display)	22 lb	\$719
6720	9504-16474	30 lb x 0.01 lb (Internal display)	22 lb	\$695
6720	9504-16467	30 lb x 0.01 lb (Remote display)	22 lb	\$719
6720	9504-16473	15 kg x 0.005 kg (Internal display)	22 lb	\$695
6720	9504-16465	15 kg x 0.005 kg (Remote display)	22 lb	\$719
6720	9504-16664	60 lb x 0.02 lb (Internal display)	22 lb	\$725
6720	9504-16665	60 lb x 0.02 lb (Remote display)	22 lb	\$735
6720	9504-16652	120 lb x 0.05 lb (Internal display)	22 lb	\$785

OPTIONS:

6702/ 6710/ 6712/ 6720	7200-14837	12" pole for remote display		\$65
6702/ 6710	7200-14829	Display bracket (attaches to side of 6702 and front of 6710)		\$35
6702/ 6710/ 6712/ 6720	1140-13842	10ft RS232C interface cable (9 pin M/F pass through)		\$15
6702/ 6710/ 6720	9570-13474	MR4KB scale-to-keyboard wedge decoder (not for 6712)		\$195
6720	7300-16577-04	Remote display w/velcro 7' ft cable		\$126
6720	7300-16864-03	Remote post display w/12" pole & 7' cable		\$167
6720	7300-16864-04	Remote post display w/12" pole & 14' cable		\$202
6702 /6710/ 6712	1148-15535	Replacement / extra wall mount power supply		\$25
6720	1148-15536	Replacement / extra power supply		\$28

6103 Portion Scale - Group C



The Model 6103 is perfect for use in pizza parlors, sandwich and salad shops, bakeries, convenience stores, delicatessens, restaurants, bars - anywhere portion control is required to maintain product quality and save on ingredient costs. Get accurate weight measurements every time, while the innovative "touchless" zero mechanism increases operator efficiency, greatly extends life of the scale, and enhances food handling safety.

Display:

Six digit LCD display with large 0.5" (12 mm) characters

Weighing Platter:

Stainless steel

Dimensions:

Weigh platter dimensions: 6" x 10" (152 mm x 254 mm)

Base dimensions: 6.4" x 10.4" (163 mm x 264 mm)

Adjustable height: 2.5" - 3" (64 mm - 76 mm)

Remote display enclosures: 5.8" (W) x 3.0" (H) x 1.4" (D max) (147 mm x 75 mm x 36 mm)

Agency Approvals:

UL Listed, CSA Certified Power Supply

NSF Approved

NOT Legal for Trade

Model	Part Number	Description	Ship Weight	List Price
6103-07 10LB 14" TPE RFB A23	9570-13787	Touchless Zero with flat rear display bracket; (10 lb x 0.005 lb)	9 lb	\$529
6103-07 160OZ 14" TPE RFB B23	9570-13781	Touchless Zero with flat rear display bracket; (160 oz x 0.05 oz)	9 lb	\$529
6103-07 160OZ 7" PB B10	9570-13836	Push button Zero with 7" display cable (no bracket); (160oz X 0.05oz)	9 lb	\$499
6103-15 240OZ 7" PE E20	9570-13853	Touchless Zero with 7" display cable (no bracket); (240 oz x 0.1 oz)	9 lb	\$499
6103-15 240OZ 7" PE SWB E22	9504-17078	Touchless Zero with remote swivel display bracket; (240 oz x 0.1 oz)	9 lb	\$549
6103-15 400OZ 14" TPB FSB H15	9504-17242	Push Button Zero, front mount shelf bracket (400 oz x 0.25 oz)	9 lb	\$529

For special configurations not listed above, please contact order entry.

6112 Portion Scale - Group C



The Model 6112 is perfect for use in pizza parlors, sandwich and salad shops, bakeries, convenience stores, delicatessens, restaurants, bars - anywhere portion control is required to maintain product quality and save on ingredient costs. Get accurate weight measurements every time, while the innovative "touchless" zero mechanism increases operator efficiency, greatly extends life of the scale, and enhances food handling safety.

Display:

Six digit LCD display with large 0.5" (12 mm) characters

Weighing Platter:

Stainless steel

Dimensions:

Weigh platter dimensions: 10" x 10" (254 mm x 254 mm)

Base dimensions: 10.4" x 10.4" (264 mm x 264 mm)

Adjustable height: 2.5" - 3" (64 mm - 76 mm)

Remote Display Enclosures: 5.8" (W) x 3.0" (H) x 1.4" (D max) (147 mm x 75 mm x 36 mm)

Agency Approvals:

UL Listed, CSA Certified Power Supply

NSF Approved

NOT Legal for Trade

Model	Part Number	Description	Ship Weight	List Price
6112-15 240OZ 7" PE E20	9504-17076	Touchless Zero with 7" display cable, no bracket; (240 oz x 0.1 oz)	10 lb	\$549
6112-15 240OZ 16" TPE RFB E23	9504-17077	Touchless Zero with flat rear display bracket; (240 oz x 0.1 oz)	13 lb	\$579
6112-15 240OZ 7" PE SWB E22	9570-13789	Touchless Zero with 7" remote display swivel bracket; (240 oz X 0.1 oz)	14 lb	\$599
6112-07 160OZ 7" TPB SWB B12	9570-13799	Push Button Zero with 7" remote swivel display bracket; (160 oz x 0.05 oz)	12 lb	\$599
6112-15 240OZ 7" PB SWB E12	9570-13828	Push Button Zero with 7" remote display swivel bracket; (240 oz X 0.1 oz)	14 lb	\$599

For special configurations not listed above, please contact order entry.

6115 Portion Scale - Group C



The Model 6115 is perfect for use in pizza parlors, sandwich and salad shops, bakeries, convenience stores, delicatessens, restaurants, bars - anywhere portion control is required to maintain product quality and save on ingredient costs. Get accurate weight measurements every time, while the innovative "touchless" zero mechanism increases operator efficiency, greatly extends life of the scale, and enhances food handling safety.

Display:

Six digit LCD display with large 0.5" (12 mm) characters

Agency Approvals:

UL Listed, CSA Certified Power Supply
NSF Approved
NOT Legal for Trade

Weighing Platter:

Stainless steel

Dimensions:

Weigh platter dimensions: 13" x 13" (330 mm x 330 mm)

Base dimensions: 13.4" x 13.4" (340 mm x 340 mm)

Adjustable height: 2.5" - 3" (64 mm - 76 mm)

Remote Display Enclosures: 5.8" (W) x 3.0" (H) x 1.4" (D max) (147 mm x 75 mm x 36 mm)

Model	Part Number	Description	Ship Weight	List Price
6115-15 240OZ 16"TPE RFB B23	9504-16914	Touchless Zero with Pan Stop and Rear Flat Display Bracket; (240 oz x 0.1 oz)	19 lb	\$645
6115-15 240OZ 7"PE B20	9504-17075	Touchless Zero with Pan Stop and 7' Display Cable (no bracket); (240 oz x 0.1 oz)	18 lb	\$615
6115-15 240OZ 16"PE RFB NS G23	9570-13762	Touchless Zero with no Pan Stop and Rear Flat Display Bracket; (240 oz x 0.1 oz)	19 lb	\$645
6115-15 240OZ 7"PE SWB NS G22	9570-13769	Touchless Zero with no Pan Stop and Remote Swivel Display Bracket (7' Cable); (240 oz x 0.1 oz)	18 lb	\$665
6115-15 240OZ 7"PE SWB B22	9570-13777	Touchless Zero with Pan Stop and Remote Swivel Display Bracket (7' cable); (240 oz x 0.1 oz)	19 lb	\$665
6115-15 240OZ 7"PE NS G20	9570-13780	Touchless Zero with no Pan Stop and 7' Display Cable (no bracket); (240 oz x 0.1 oz)	18 lb	\$615
6115-15 25LB 7"PE SWB NS I22	9570-13784	Touchless Zero with no Pan Stop and Remote Swivel Display Bracket (7' cable); (25 lb x 0.01 lb)	18 lb	\$665
6115-15 400OZ 16"TPE RFB E23	9570-13809	Touchless Zero with Pan Stop and Rear Flat Display Bracket; (400 oz x 0.25 oz)	19 lb	\$645
6115-15 25LB 16"TPE RFB D23	9570-13812	Touchless Zero with Pan Stop and Rear Flat Display Bracket; (25 lb x 0.01 lb)	19 lb	\$645
6115-15 400OZ 7"PE SWB E22	9570-13823	Touchless Zero with Pan Stop and Remote Swivel Display Bracket (7' cable); (400 oz x 0.25 oz)	19 lb	\$665
6115-15 25LB 7"PB SWB I12	9570-13847	Push Button Zero with no Pan Stop and Remote Swivel Display Bracket (7' cable); (25 lb x 0.01 lb)	18 lb	\$665
6115-15 25LB 7"PE SWB D22	9570-90504	Touchless Zero with Pan Stop and Remote Swivel Display Bracket (7' cable); (25 lb x 0.01 lb)	18 lb	\$665

Optional Accessories (6103/6112/6115) - Group C

Part Number	Accessories	List Price
7140-17108	Prep table zero switch 4 ft cable	\$52
7130-17080-04	Zero foot switch with 4 ft cable	\$80
7130-17080-10	Zero foot switch with 10 ft cable	\$90
*1140-13842	Interface cable, 10 ft RS232C, serial pass through	\$15
7200-17084	Extra magnetic strip (for mounting displays)	\$6

*not included with scale - must be ordered as an accessory

Grey shading indicates that these units are usually in stock and available for shipment within one working day

Prices FOB Fairmont, MN or Stockton, CA depending on stock location.
Prices subject to change without notice. Please refer to www.salterbrecknell.com for current prices.