

Standard Conditioner Model	Part Number	Input Volts	Output Volts	Output Amps	VA	Outlets	Weight
ABC065-11	701002	120	120	0.65	78	2	6
PC075A	PC075A-S2S	120	120	0.625	75	2	6
Smart Cord -1	UTBF07SG-120	120	120	7	840	1	1.2
ABC100-11	701011	120	120	1	120	2	7
PC120A	PC120A-S2S	120	120	1	120	2	9
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2
ABC150-11	701003	120	120	1.5	180	2	7
PC180A	PC180A-S2S	120	120	1.5	180	2	9
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2
ABC152-11	701012	120	120	1.5	180	4	7
PC180A	PC180A-S4S	120	120	1.5	180	4	9
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2
ABC201-11	701009	120	120	2	240	2	7
PC240A	PC240A-S2S	120	120	2	240	2	11
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2
ABC202-11	701004	120	120	2	240	4	7
PC240A	PC240A-S4S	120	120	2	240	4	11
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2
ABC302-11	701013	120	120	3	360	4	12
PC360A	PC360A-S4S	120	120	3	360	4	12
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2
ABC402-11	701008	120	120	4	480	4	
PC550A	PC550A-S4S	120	120	4.58	550	4	13
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2

PowerVar

Chloride

Smart Power

Conditioner with Ground Loop Protection Model	Part Number	Input Volts	Output Volts	Output Amps	VA	Outlets	Weight
ABCG065-11	701021	120	120	0.65	78	2	6
PC075AG	PC075AG-S2S	120	120	0.625	75	2	6.5
Smart Cord -1	UTBF07SG-120	120	120	7	840	1	1.2
ABCG100-11	701022	120	120	1	120	2	7
PC120AG	PC120AG-S2S	120	120	1	120	2	9.5
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2
ABCG152-11	701038	120	120	1.5	180	4	9
PC180AG	PC180AG-S4S	120	120	1.5	180	4	9.5
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2
ABCG202-11	701039	120	120	2	240	4	10
PC240AG	PC240AG-S4S	120	120	2	240	4	11.5
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2
ABCG302-11	701025	120	120	3	360	4	12
PC360AG	PC360AG-S4S	120	120	3	360	4	13
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2
ABCG402-11	701047	120	120	4	480	4	13
PC550AG	PC550AG-S4S	120	120	4.6	540	4	18
Smart Cord -3	UTBF07SG-175	120	120	7	840	3	1.2

PowerVar

Chloride

Smart Power

UPS Model	Part Number	Input Volts	Output Volts	Output Amps	VA	Outlets	Weight
ABCE240-11	701060	120	120	2	240	2	29
ONePLUS250	ONE254AG-SE	120	120	2.08	250	4	28
SPV 400	SPV0400T-B	120	120	3.33	400	6	12.3
ABCE350-11	701054	120	120	2.9	350	4	31
ONePLUS400	ONE404AG-SE	120	120	3.33	400	4	28
SPV 400	SPV0400T-B	120	120	3.33	400	6	12.3
ABCE600-11	701069	120	120	5	600	6	37
ONePLUS600	ONE604AG-SE	120	120	5	600	8	57
SPV 600	SPV0600T-B	120	120	5	600	6	14.5
ABCE800-11	701062	120	120	6.66	800	6	34
ONePLUS1000	ONE1004AG-SE	120	120	8.33	1000	8	63
SPV 800	SPV0800T-B	120	120	6.66	800	6	16.8
Below Models Comparison with Ground Loop Protection							
ABCEG240-11	701061	120	120	2	240	2	29
ONePLUS250	ONE254AG-SE	120	120	2.08	250	4	28
SPV 400	SPV0400T-B	120	120	3.33	400	4	12.3
ABCEG420-11	701059	120	120	3.5	420	4	31
ONePLUS400	ONE404AG-SE	120	120	3.33	400	4	28
SPV 400	SPV0400T-B	120	120	3.33	400	4	12.3
ABCEG600-11	701070	120	120	5	600	6	37
ONePLUS600	ONE604AG-SE	120	120	5	600	8	57
SPV 600	SPV0600T-B	120	120	5	600	6	14.5

PowerVar

Chloride

Smart Power